MATERIAL SAFETY DATA SHEET



1. Product and Company Identification

Material name BENTOGROUT®

Version # 11

Revision date 08-April-2011

Manufacturer information CETCO

Building Materials Group 2870 Forbs Avenue

Hoffman Estates, IL 60192 US safety.data@amcol.com http://www.cetco.com/

General Information (800) 527-9948 CHEMTREC® (800) 424-9300

2. Hazards Identification

Potential health effects

Routes of exposure Inhalation.

Eyes Dust or powder may irritate eye tissue. Symptoms include itching, burning, redness and tearing.

Skin This product may cause irritation to the skin. Symptoms may include redness, edema, drying,

defatting and cracking of the skin.

Inhalation Inhalation of dusts may cause respiratory irritation. Repeated or prolonged inhalation may cause

toxic effects. For additional information on inhalation hazards, see Section 11 of this safety data

sheet.

Ingestion No significant adverse effects are expected upon ingestion of the product.

Target organs Lungs.

Chronic effects This product has the potential for generation of respirable dust during handling and use. Dust

may contain respirable crystalline silica. Overexposure to dust may result in pneumocononiosis, a respiratory disease caused by inhalation of mineral dust, which can lead to fibrotic changes to the lung tissue, or silicosis, a respiratory disease caused by inhalation of silica dust, which can lead to inflammation and fibrosis of the lung tissue. Occupational exposure to nuisance dust (total and

respirable) and respirable crystalline silica should be monitored and controlled.

3. Composition / Information on Ingredients

Components	CAS#	Percent	
TRADE SECRET	Proprietary	1 - 2.5	

Composition comments Bentonite contains naturally occurring crystalline silica (not listed in Annex I of Directive

67/548/EEC) in quantities less than 6%. Occupational Exposure Limits for impurities are listed in

Section 8.

4. First Aid Measures

First aid procedures

Eye contact Flush eyes immediately with large amounts of water. Get medical attention if irritation develops or

persists.

Skin contact No special measures required. Get medical attention if irritation develops or persists.

Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. If the

affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen.

Call a physician if symptoms develop or persist.

Ingestion No special measures required. If ingestion of a large amount does occur, seek medical attention.

Notes to physician Provide general supportive measures and treat symptomatically.

5. Fire Fighting Measures

Flammable properties None known.

Material name: BENTOGROUT®

4533 Version #: 11 Revision date: 08-April-2011 Print date: 08-April-2011

Extinguishing media

Suitable extinguishing

media

Use any media suitable for the surrounding fires. Dry chemical, CO2, water spray or regular foam.

Protection of firefighters

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Fire fighting

equipment/instructions

Not available.

Hazardous combustion

products

None known.

6. Accidental Release Measures

Personal precautions Material can be slippery when wet. Wear a dust mask if dust is generated above exposure limits.

Environmental precautions No special environmental precautions required.

Methods for containment None necessary.

Methods for cleaning up Avoid the generation of dusts during clean-up. Collect dust or particulates using a vacuum cleaner

with a HEPA filter. Reduce airborne dust and prevent scattering by moistening with water.

7. Handling and Storage

Handling Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places

where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment.

0.3000 mg/m3

0.1000 mg/m3

Total dust.

Respirable.

Storage Guard against dust accumulation of this material. No special storage conditions required. No

special restrictions on storage with other products.

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

US. ACGIH Threshold Limit Values	S		
Components	Туре	Value	Form
TRADE SECRET (Proprietary) US. ACGIH Threshold Limit Values	TWA s	10.0000 mg/m3	Inhalable fraction.
Impurities	Туре	Value	Form
INERT OR NUISANCE DUSTS (SEQ250)	TWA	10.0000 mg/m3	Inhalable particles.
,		3.0000 mg/m3	Respirable particles.
QUARTZ (14808-60-7)	TWA	0.0250 mg/m3	Respirable fraction.
US. OSHA Table Z-1 Limits for Air	Contaminants (29 CFR 1910.1000)		
Components	Туре	Value	Form
TRADE SECRET (Proprietary)	PEL	15.0000 mg/m3	Total particulate.
US. OSHA Table Z-1 Limits for Air	Contaminants (29 CFR 1910.1000)		
Impurities	Туре	Value	Form
INERT OR NUISANCE DUSTS (SEQ250)	PEL	5.0000 mg/m3	Respirable fraction.
·		15.0000 mg/m3	Total dust.
	TWA	5.0000 mg/m3	Respirable fraction.
		50.0000 mppcf	Total dust.
		15.0000 mg/m3	Total dust.
		15.0000 mppcf	Respirable fraction.
QUARTZ (14808-60-7)	TWA	2.4000 mppcf	Respirable.

Exposure guidelines Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica

should be monitored and controlled.

Material name: BENTOGROUT®

Engineering controls If material is ground, cut, or used in any operation which may generate dusts, use appropriate

local exhaust ventilation to keep exposures below the recommended exposure limits. If

engineering measures are not sufficient to maintain concentrations of dust particulates below the

OEL, suitable respiratory protection must be worn.

Personal protective equipment

Eye / face protection Wear dust goggles.

Skin protection No special protective equipment required.

Respiratory protectionUse a particulate filter respirator for particulate concentrations exceeding the Occupational

Exposure Limit.

General hygiene Eye wash fountain is recommended. Use good industrial hygiene practices in handling this

considerations material.

9. Physical & Chemical Properties

Appearance Not available.

Physical stateSolid.FormPowder.ColorVarious.OdorNone.

Odor threshold Not available.

pH 7 - 9

Vapor density

Boiling point

Melting point/Freezing point

Not available.

Melting point/Freezing point

Not available.

Solubility (water)

Relative density

Not available.

Flash point

Not flammable

Flammability limits in air, upper, Not explosive

% by volume

Flammability limits in air, lower, Not explosive

% by volume

Auto-ignition temperature

VOC

0 % estimated

Percent volatile

0 % estimated

10. Chemical Stability & Reactivity Information

Chemical stability Stable at normal conditions.

Conditions to avoidNone known.Incompatible materialsNone known.Hazardous decompositionNone known.

products

Possibility of hazardous Will not occur.

reactions

11. Toxicological Information

Toxicological data

Product	Test Results
BENTOGROUT®	Acute Inhalation LC50 Rat: 14.5 mg/l/4h
	Acute Oral LD50 Mouse: 88333.3 mg/kg estimated Acute Oral LD50 Rat: 60000 mg/kg estimated Acute Other LD50 Mouse: 1966.67 mg/kg estimated
Impurities	Test Results
QUARTZ (14808-60-7)	Acute Oral LD50 Rat: 500 mg/kg

Material name: BENTOGROUT®

Chronic effects

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003)

According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.

Carcinogenicity

ACGIH Carcinogens

QUARTZ (CAS 14808-60-7) A2 Suspected human carcinogen.

TRADE SECRET (CAS Proprietary)

A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

US NTP Report on Carcinogens: Known carcinogen

QUARTZ (CAS 14808-60-7) Known carcinogen.

12. Ecological Information

Ecotoxicological data

Product Test Results

BENTOGROUT® LC50 Fish: 19895.3 mg/l 96.00 hours estimated

Ecotoxicity This material is not expected to be harmful to aquatic life.

Environmental effects Based on the physical properties of this product, significant environmental persistence and

bioaccumulation would not be expected.

Persistence and degradability

Not available.

13. Disposal Considerations

Disposal instructionsDispose in accordance with all applicable regulations. Material should be recycled if possible.

14. Transport Information

DOT

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly

Hazardous Process Safety Standard, 29 CFR 1910.119.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2)

Not regulated

DEA Essential Chemical Code Number

Not regulated

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated

DEA Exempt Chemical Mixtures Code Number

Not regulated

CERCLA (Superfund) reportable quantity

None

Material name: BENTOGROUT® MSDS US

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous No

chemical

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Toxic Substances Control Act (TSCA) Inventory *A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance QUARTZ (CAS 14808-60-7) Listed: October 1, 1988 Carcinogenic.

US - Pennsylvania RTK - Hazardous Substances: Listed substance QUARTZ (CAS 14808-60-7) Listed. TRADE SECRET (CAS Proprietary) Listed.

16. Other Information

United States & Puerto Rico

Recommended restrictions Workers (and your customers or users in the case of resale) should be informed of the potential

presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required

under applicable regulations.

Further information This safety datasheet only contains information relating to safety and does not replace any

product information or product specification.

HMIS® ratings Health: 1*

Flammability: 0 Physical hazard: 0

Health: 1 NFPA ratings

> Flammability: 0 Instability: 0

Material name: BENTOGROUT® MSDS US

Yes

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Issue date

This data sheet contains changes from the previous version in section(s):

08-April-2011

Product and Company Identification: Alternate Trade Names Composition / Information on Ingredients: Disclosure Overrides Physical & Chemical Properties: Multiple Properties

Material name: BENTOGROUT®
4533 Version #: 11 Revision date: 08-April-2011 Print date: 08-April-2011