## MATERIAL SAFETY DATA SHEET



### 1. Product and Company Identification

BENTOMAT® ST **Material name** 

21 Version #

**Revision date** 18-August-2009

Geosynthetic Clay Liner Chemical description

CAS# Mixture **CETCO** Company

Lining Technologies Group

2870 Forbs Avenue

Hoffman Estates, IL 60192 US safetydata@amcol.com http://www.cetco.com/LT/

General Information (800) 527-9948

Emergency (800) 424-9300

#### 2. Hazards Identification

**Emergency overview** This product has the potential for generation of respirable dust during handling and use. Dust

may contain respirable crystalline silica.

Potential health effects

Routes of exposure Inhalation. Eye contact.

Dust or powder may irritate eye tissue. Symptoms include itching, burning, redness and tearing. **Eves** 

Skin Non-irritating to the skin.

Inhalation Repeated or prolonged inhalation may cause toxic effects. For additional information on inhalation

hazards, see Section 11 of this safety data sheet.

No hazard in normal industrial use. No significant adverse effects are expected upon ingestion of Ingestion

the product.

**Target organs** Lungs.

Overexposure to dust may result in pneumocononiosis, a respiratory disease caused by inhalation **Chronic effects** 

> of mineral dust, which can lead to fibrotic changes to the lung tissue, or silicosis, a respiratory disease caused by inhalation of silica dust, which can lead to inflammation and fibrosis of the lung

tissue.

## 3. Composition / Information on Ingredients

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

This product contains naturally occurring crystalline silica (not listed in Annex I of Directive Composition comments

67/548/EEC) in quantities less than 6%. Occupational Exposure Limits for impurities are listed in

Section 8.

#### 4. First Aid Measures

First aid procedures

Flush eyes immediately with large amounts of water. Get medical attention if irritation develops or Eye contact

persists.

Skin contact No special measures required. Get medical attention if irritation develops or persists.

If symptoms are experienced, remove source of contamination or move victim to fresh air. If the Inhalation

affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen.

Call a physician if symptoms develop or persist.

No special measures required. If ingestion of a large amount does occur, seek medical attention. Ingestion

Provide general supportive measures and treat symptomatically. Notes to physician

### 5. Fire Fighting Measures

None known. Flammable properties

Extinguishing media

Use any media suitable for the surrounding fires. Dry chemical, CO2, water spray or regular foam. Suitable extinguishing

media

None known.

### 6. Accidental Release Measures

**Personal precautions** Wear a dust mask if dust is generated above exposure limits.

**Environmental precautions** No special environmental precautions required.

**Methods for containment** None necessary.

Avoid the generation of dusts during clean-up. Collect dust or particulates using a vacuum cleaner Methods for cleaning up

with a HEPA filter. Reduce airborne dust and prevent scattering by moistening with water.

## 7. Handling and Storage

Handling Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places

where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment.

Guard against dust accumulation of this material. No special storage conditions required. No Storage

special restrictions on storage with other products.

# 8. Exposure Controls / Personal Protection

### Occupational exposure limits

#### **ACGIH**

Impurities	Туре	Value	Form	
INERT OR NUISANCE DUST (SEQ250)	TWA	10 mg/m3	Inhalable particles.	
		3 mg/m3	Respirable particles.	
QUARTZ (14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.	

#### U.S. - OSHA

Impurities	Type	Value	Form
INERT OR NUISANCE DUST (SEQ250)	PEL	15 mg/m3	Total dust.
		5 mg/m3	Respirable fraction.
	TWA	5 mg/m3	Respirable fraction.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
		15 mg/m3	Total dust.
QUARTZ (14808-60-7)	TWA	2.4 mppcf	Respirable.
		0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		0.1 mg/m3	Respirable dust.

**Exposure guidelines** Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica

should be monitored and controlled.

If material is ground, cut, or used in any operation which may generate dusts, use appropriate **Engineering controls** 

local exhaust ventilation to keep exposures below the recommended exposure limits. If engineering measures are not sufficient to maintain concentrations of dust particulates below the

OEL, suitable respiratory protection must be worn.

Personal protective equipment

Eye / face protection Wear dust goggles.

No special protective equipment required. Skin protection

Respiratory protection Use a particulate filter respirator for particulate concentrations exceeding the Occupational

Exposure Limit.

Eye wash fountain is recommended. Use good industrial hygiene practices in handling this **General hygeine** 

considerations material.

### 9. Physical & Chemical Properties

The product consists of bentonite granules between geotextile layers **Appearance** 

Color Various. Odor None.

Not available. **Odor threshold** 

Solid. Physical state

**Form** Mat or Fabric

7 - 9 estimated pН Not available. **Melting point** Freezing point Not available. **Boiling point** Not available. Non-flammable Flash point Not available. **Evaporation rate** Not available. **Flammability** Flammability limits in air, Non-explosive

upper, % by volume

Flammability limits in air,

lower, % by volume

Non-explosive

Not available. Vapor pressure Not available. Vapor density 2.1677 estimated Specific gravity Relative density Not available. Solubility (water) Negligible Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. VOC 0 % estimated Percent volatile 0 % estimated

## 10. Chemical Stability & Reactivity Information

Stable at normal conditions. Chemical stability

Conditions to avoid None known. Incompatible materials None known. Hazardous decomposition None known.

products

Possibility of hazardous

reactions

Will not occur.

### 11. Toxicological Information

Local effects Mild irritant to eyes (according to the modified Kay & Calandra criteria)

**Chronic effects** Some of the components of this product are hazardous in the respirable form. However, because of the physical nature of this product, dust generation is not expected.

> In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its

polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003)

According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits.

Sensitization No sensitization responses were observed.

Carcinogenicity

IARC Monographs: Overall evaluation

QUARTZ (14808-60-7) 1 Carcinogenic to humans.

Material name: BENTOMAT® ST CETCO - Lining Technologies Group 4011 Version #: 21 Revision date: 18-August-2009 Print date: 18-August-200

### Carcinogenicity

US ACGIH Threshold Limit Values: A2 carcinogen

QUARTZ (14808-60-7) Group A2 Suspected human carcinogen.

**US NTP Report on Carcinogens: Known carcinogen** 

QUARTZ (14808-60-7) Known carcinogen.

### 12. Ecological Information

## **Ecotoxicological data**

Product Test Results

BENTOMAT® ST (Mixture) LC50 Fish: 22353 mg/l 96.00 Hours estimated

\* Estimates for product may be based on additional component data not shown.

**Ecotoxicity**The product is not expected to be hazardous to the environment. This product is not expected to

produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

**Environmental effects** Ecological injuries are not known or expected under normal use. Based on the physical properties

of this product, significant environmental persistence and bioaccumulation would not be expected.

Persistence and degradability Not available.

## 13. Disposal Considerations

**Disposal instructions**Dispose in accordance with all applicable regulations. Material should be recycled if possible.

### 14. Transport Information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

# 15. Regulatory Information

US federal regulations OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly

Hazardous Process Safety Standard, 29 CFR 1910.119.

#### CERCLA (Superfund) reportable quantity

None

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous

Yes

chemical

**Food and Drug Administration** 

(FDA)

Total food additive Indirect food additive

GRAS food additive

### **Inventory status**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes

Country(s) or region Inventory name On inventory (yes/no)\*

Philippines Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

QUARTZ (14808-60-7) Listed.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

QUARTZ (14808-60-7) Listed: October 1, 1988 Carcinogenic.

US - Pennsylvania RTK - Hazardous Substances: Listed substance

QUARTZ (14808-60-7) Listed.

#### 16. Other Information

**Further information** 

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

**HMIS** ratings



NFPA ratings Health: 1 Flammability: 0

Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Issue date** 18-August-2009

This data sheet contains changes from the previous version in section(s):

Hazards Identification: Eyes

Hazards Identification: Chronic effects

Composition / Information on Ingredients: Potential Compounds Formed Composition / Information on Ingredients: Composition comments

Toxicological Information: Local effects
Toxicological Information: Chronic effects
Ecological Information: Ecotoxicity

Ecological Information: Environmental effects

Other Information: Disclaimer Other Information: Other information

Other Information: Recommended restrictions CETCO is an AMCOL International company.

Other information CETCO is an AMCOL International company